

FLEX

FLEXIBLE STONE



Your space. AT its best.

AT is a coordinate. Not of location — but of feeling.

AT this moment, standing in a space that gets everything right — the texture beneath your hand, the light on the wall, the ground beneath your feet, you know it.

This is what a space can be.

ATerior exists to make that moment possible. In every interior. Across every exterior. For every person who believes their space deserves more than ordinary.



Why does the market keep settling for ordinary?

WE CURATE

From the world's material innovations, we select only what meets our standard —and bring it to market ready to specify.

WE CREATE

Where the right material does not yet exist, we develop it ourselves — in our own facilities, to our own brief.



BRAND POWER

A brand your clients recognize, and
your business can stand behind.



PRODUCT DEPTH

A complete material system,
indoor to out — specified from
one source.


DESIGN EDGE

Texture, color and format
developed with the
designer's eye.



PRODUCT DEPTH

A complete material system,
indoor to out — specified
from one source.





①



②



④

ATerior-in

①. MINERAL ②. SPC



6

8

2

1

7

5

3



ATerior-layer

One coherent story, from inside to out.

ATerior-ex

- ①. WPC FENCING
- ②. WPC DECKING
- ③. WPC CLADDING
- ④. WPC CEILING
- ⑤. PU STONE
- ⑥. FLEXIBLE STONE
- ⑦. LUMINOUS LANDSCAPE
- ⑧. FURNITURE


INDEX

	DECLARATION	001	RS09 / FLOWING STONE	037
	BRAND STORY	002	RS11 / ROCKFACE STONE	038
	INTERIOR-EXTERIOR ECOSYSTEM	006	RS17 / VALLEY STONE	041
	CATEGORY INTRO	011	RS32 / LUNAR STONE	043
	CORE PERFORMANCE	012	RS31 / NEW LUNAR STONE	044
RS37 /	TRAVERTINE	012	RS30 / TUNE	049
RS43 /	VOLCANIC GROOVE	020	RS29 / WOVEN FABRIC	050
RS44 /	VOLCANIC RIDGE	021	RS27 / PATHWAYS	051
RS38 /	TRAVERTINE MOSAIC	024	RS33 / NEW LINE STONE	053
RS13 /	TETRIS	026	RS34 / CEMENT	056
RS03 /	SLATE	027	RS35 / WOODEN CEMENT	057
RS01 /	ROUGH GRANITE	030	RS36 / CEMENT SLAB	058
RS04 /	RAMMED EARTH WALL	034	RS42 / DESERT STORM	059
RS06 /	COARSE FABRIC	035	RS05 / SEA CAVE STONE	065
RS07 /	FINE FABRIC	036	RS10 / TEXTURED STRIP STONE	067

INDEX

RS12	/	KEYSTROKES	068
RS15	/	BANANA LEAF	069
RS21	/	BLINDS	070
RS22	/	PINE	075
RS24	/	WIDE STRIP	076
RS26	/	STACKED STONE	077
RS41	/	SAW PLATFORM	078
RS46	/	MARS ROCK	079
RS48	/	BUSH-HAMMERED	080
RS50	/	MOUNTAIN PEAK	082
RS53	/	COMBINED MAURA STONE	083
RS54	/	COMBINED CULTURAL BRICK	084
RS56	/	VOLCANIC ROCK	085

RS58	/	INSTALLATION	086
RS62	/	IRREGULAR MOSAIC STONE	087
RS63	/	CHARRED WOOD	088
RS81	/	SINTERED STONE BOARD	089
RS85	/	ROPE CHARM	091
RS86	/	STRATA STONE	092
RS87	/	LUNAR PEAK	094
RS88	/	WIND CARVED STONE	096
RS89	/	CLIFFSTONE	098
RS90	/	VINTAGE STONE	102
RS91	/	WIDE GROOVE STONE	104
		HANDMADE	105
		INSTALLATION	116
		CERTIFICATIONS & COMPLIANCE	117




FLEXIBLE STONE

For a thousand years, stone defined architecture through weight and rigidity. We made it light, thin and pliant — so for the first time, the stone follows the design, instead of limiting it.

FLEX begins with mineral, not plastic. Built on a modified-clay (MCM) composite, each panel carries the grain, depth and tonal life of quarried stone — in a veneer thin and supple enough to wrap a curve, clad a column, or travel at a fraction of stone's weight. Authentic texture. Proprietary process.

A mineral surface,
finally unbound from stone's limits.

CORE PERFORMANCE



ULTRA-THIN & FLEXIBLE

2–10mm. Light enough to lift by hand, supple enough to follow a curved surface.



A2 FIRE RESISTANT

Rated non-combustible to Euroclass A2.



ALL-WEATHER DURABILITY

Holds color and form through UV exposure, freeze–thaw cycles and humid heat.



INORGANIC & ECO

Mineral-based, inorganic, and zero-VOC.

Travertine

FLEXIBLE STONE

RS37-01

RS37

TRAVERTINE



DETAIL ILLUSTRATION

Size:
Length: 1200/2400/3000 mm
Width : 600/1200/1200 mm
Thickness : 2.5 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS37-01

RS37-P05

TRAVERTINE




RS37-P06

TRAVERTINE













RS37-P27

TRAVERTINE



DETAIL ILLUSTRATION

Concave Volcanic

ATerir

FLEXIBLE STONE

RS43-02

RS43

VOLCANIC GROOVE



DETAIL ILLUSTRATION

Size:
Length : 1200 mm
Width : 600 mm
Thickness : 5 mm

Color:

01

02

03

04

05

06

07

08



RS43-02

Concave Volcanic



FLEXIBLE STONE

RS44-02

RS44

VOLCANIC RIDGE



DETAIL ILLUSTRATION

Size:
Length : 1200 mm
Width : 600 mm
Thickness: 8 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS44-02



RS44-P03

CONCAVE VOLCANIC



RS44-P04

CONCAVE VOLCANIC



Travertine Mosaic



FLEXIBLE STONE

RS38-01

RS38


TRAVERTINE MOSAIC



DETAIL ILLUSTRATION

Size:
Length : 1200/2400 mm
Width : 600/1200 mm
Thickness : 3-5 mm


- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS38-01

RS38-P23

TRAVERTINE MOSAIC





RS13

TETRIS



DETAIL ILLUSTRATION


Size:

Length : 1190mm

Width : 590mm

Thickness: 2-4mm

Color:



RS13-01

Slate



FLEXIBLE STONE

RS03-01

RS03

SLATE




DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness: 2.5mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS03-01



RS03-P28

SLATE



Rough Granite

FLEXIBLE STONE

RS01-06

RS01

ROUGH GRANITE



DETAIL ILLUSTRATION

Size:
Length : 1200/2400/3250 mm
Width : 600/1200/1140 mm
Thickness: 3mm

Color:

01

02

03

04

05


06

07

08



RS01-06




RS01-P15

ROUGH GRANITE




RS01-P16

ROUGH GRANITE





Rammed Earth Wall




FLEXIBLE STONE

RS04-06

RS04

RAMMED EARTH WALL



DETAIL ILLUSTRATION

Size:
Length : 1200/2400 mm
Width : 600/1200 mm
Thickness: 3 mm

Color:

01

02

03

04

05

06

07

08



RS04-06

Coarse Fabric



FLEXIBLE STONE

RS06

COARSE FABRIC



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness: 3-6 mm

Color:

01

02

03

04

05

06

07

08



RS06-03

Fine Fabric

FLEXIBLE STONE

RS07-01

RS07

FINE FABRIC



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness: 3/3.5 mm

- Color:**
- 01

02

03

04

05

06

07

08



RS07-01

Flowing Stone



FLEXIBLE STONE

RS09-01

RS09

FLOWING STONE



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness: 3-6 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS09-01



Rockface Stone

FLEXIBLE STONE

RS11-01

RS11

ROCKFACE STONE



DETAIL ILLUSTRATION

Size:
Length : 1200/2900 mm
Width : 600/1140 mm
Thickness: 3-6 mm

Color:

01

02

03

04

05

06

07


08



RS11-01

RS11-P21

ROCKFACE STONE




RS11-P24

ROCKFACE STONE



RS11-P26

ROCKFACE STONE



Valley Stone



FLEXIBLE STONE

RS17-01

RS17


VALLEY STONE



DETAIL ILLUSTRATION

Size:
Length : 1190mm
Width : 590mm
Thickness: 3-7mm



- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS17-01



RS17-P18

VALLEY STONE



RS17-P23

VALLEY STONE



Lunar Stone



FLEXIBLE STONE

RS32-01

RS32

LUNAR STONE



DETAIL ILLUSTRATION

Size:
Length : 1200/2400/3100 mm
Width : 600/1200/1200 mm
Thickness: 3-5 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS32-01

New Lunar Stone



FLEXIBLE STONE

RS31-02

RS31

NEW LUNAR STONE



DETAIL ILLUSTRATION

Size:
Length : 1200/2400 mm
Width : 600/1200 mm
Thickness: 3-5 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS31-02








RS31-P15

NEW LUNAR STONE




RS31-P16

NEW LUNAR STONE



RS31-P29

NEW LUNAR STONE





Tune

FLEXIBLE STONE

RS30-01

RS30

TUNE



DETAIL ILLUSTRATION

Size:
Length : 1200/2400/3100 mm
Width : 600/1200/1200 mm
Thickness: 3-6 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS30-01


Woven Fabric

FLEXIBLE STONE

RS29-03

RS29

WOVEN FABRIC



DETAIL ILLUSTRATION

Size:
Length: 1200/3000 mm
Width : 600/1200 mm
Thickness: 3mm

Color:

01

02

03


04

05

06

07

08



RS29-03

Pathways



FLEXIBLE STONE

RS27-01

RS27

PATHWAYS




DETAIL ILLUSTRATION

Size:
Length : 1200/2400/3100 mm
Width : 600/1200/1200 mm
Thickness: 3-5 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS27-01



New Line Stone

ATerior

FLEXIBLE STONE

RS33-01

RS33

NEW LINE STONE



DETAIL ILLUSTRATION


Size:

Length : 1200/2400/3000 mm

Width : 600/1200/1200 mm

Thickness: 3 mm

Color:



RS33-01


RS33-P15


NEW LINE STONE



RS33-P16

NEW LINE STONE





Cement



FLEXIBLE STONE

RS34-01

RS34

CEMENT



DETAIL ILLUSTRATION

Size:
Length : 1200 mm
Width : 600 mm
Thickness : 2.5 mm

Color:

- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08



RS34-01

Wooden Cement



FLEXIBLE STONE

RS35-04

RS35

WOODEN CEMENT



DETAIL ILLUSTRATION

Size:
Length : 2400 mm
Width : 1200 mm
Thickness : 2-3 mm

Color:

- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08



RS35-04

Cement Slab

ATerior

RS36

CEMENT SLAB



DETAIL ILLUSTRATION

Size:
Length : 2400 mm
Width : 1200 mm
Thickness : 2-3 mm

Color:

01

02

03

04

05

06

07

08



RS36-06

FLEXIBLE STONE

RS36-06



Desert Storm

FLEXIBLE STONE

RS42-01

RS42

DESERT STORM



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness : 3 mm



- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS42-01









RS42-P27

NEW LUNAR STONE



Sea Cave Stone

FLEXIBLE STONE

RS04-04

RS05

SEA CAVE STONE



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness: 3 mm

Color:

01

02

03

04

05

06

07


08



RS04-04

RS05-P23

Sea cave stone



Textured Strip Stone



FLEXIBLE STONE

RS10-03

RS10

TEXTURED STRIP STONE



DETAIL ILLUSTRATION

Size:
Length : 1200/2400/3000 mm
Width : 600/1200/1200 mm
Thickness: 3-9 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08




RS10-03



RS12

KEYSTROKES



DETAIL ILLUSTRATION

Size:
Length : 1190mm
Width : 590mm
Thickness: 3-9mm

Color:

01

02

03

04

05

06

07

08




RS12-01



RS15

BANANA LEAF



DETAIL ILLUSTRATION

Size:
Length : 1190mm
Width : 590mm
Thickness: 3-9mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS15-01

Blinds



FLEXIBLE STONE

RS21-01

RS21

BLINDS



DETAIL ILLUSTRATION

Size:
Length : 1200/2400/3000 mm
Width : 600/1200/600 mm
Thickness: 3-5 mm

- Color:**
- 01

02

03

04

05

06

07


08



RS21-01

RS21-P22

BLINDS



RS21-P22

BLINDS




RS21-P15

BLINDS



RS21-P16


BLINDS





RS21-P20

BLINDS



RS21-P27

BLINDS



PINE

TEA&DRINK

FLEXIBLE STONE

RS22-03

RS22

PINE



DETAIL ILLUSTRATION


Size:

Length : 1200 mm

Width : 600 mm

Thickness: 3 mm

Color:



RS22-03

Wide Strip



FLEXIBLE STONE

RS24-01

RS24

WIDE STRIP



DETAIL ILLUSTRATION

Size:


Length : 1200 mm

Width : 600 mm

Thickness: 3-6 mm

Color:

- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08



RS24-01

Stacked Stone



FLEXIBLE STONE

RS26-06

RS26

STACKED STONE



DETAIL ILLUSTRATION

Size:
Length : 1200 mm
Width : 600 mm
Thickness: 3-6 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS26-06


Saw Platform

FLEXIBLE STONE

RS41-05

RS41

SAW PLATFORM



DETAIL ILLUSTRATION


Size:

Length : 1200/3000 mm

Width : 600/1200 mm

Thickness: 3-5 mm

Color:



RS41-05



Mars Rock

Aterior

FLEXIBLE STONE

RS46-01

RS46

MARS ROCK



DETAIL ILLUSTRATION

Size:
Length : 3100 mm
Width : 1200 mm
Thickness : 3-8 mm

Color:

01

02

03

04

05

06

07

08



RS46-01

Bush-hammered



FLEXIBLE STONE

RS48-01

RS48

BUSH-HAMMERED



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness : 3 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS48-01





RS50

MOUNTAIN PEAK



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness : 3-6 mm

- Color:**
- 01

02

03


04

05

06

07

08



RS50-01

Combined Maura Stone



FLEXIBLE STONE

RS53-05

RS53

COMBINED MAURA STONE



DETAIL ILLUSTRATION

Size:
Length : 1140 mm
Width : 570 mm
Thickness : 3-5 mm

- Color:**
- 01

02

03


04

05

06

07

08



RS53-05

Combined Cultural Brick

FLEXIBLE STONE

RS54-05

RS54

COMBINED CULTURAL BRICK



DETAIL ILLUSTRATION

Size:
Length : 1230 mm
Width : 630mm
Thickness : 3-6 mm

Color:

01

02

03

04

05

06

07

08



RS54-05

Volcanic Rock




FLEXIBLE STONE

RS56-08

RS56

VOLCANIC ROCK



DETAIL ILLUSTRATION

Size:
Length : 1200 mm
Width : 600 mm
Thickness : 3 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS56-08

Strip Rock



FLEXIBLE STONE

RS58-01

RS58

STRIP ROCK



DETAIL ILLUSTRATION



Size:

Length : 1200 mm

Width : 600 mm

Thickness : 3-5 mm

Color:



RS58-01

Irregular Mosaic Stone



FLEXIBLE STONE

RS62-01

RS62

IRREGULAR MOSAIC STONE



DETAIL ILLUSTRATION

Size:
Length : 1180 mm
Width : 580 mm
Thickness : 3 mm

Color:

01

02

03

04

05

06

07

08



RS62-01



Charred Wood

FLEXIBLE STONE

RS63-08

RS63

CHARRED WOOD



DETAIL ILLUSTRATION

Size:
Length : 3000 mm
Width : 1200 mm
Thickness : 3 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS63-08

Sintered Stone Board



FLEXIBLE STONE

RS81-01

RS81


MASSIVE ROCK PANEL



DETAIL ILLUSTRATION

Size:
Length : 1200/3000 mm
Width : 600/1200 mm
Thickness : 4-8 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS81-01



Rope Charm



FLEXIBLE STONE

RS85-01

RS85

ROPE CHARM



DETAIL ILLUSTRATION

Size:
Length : 3000 mm
Width : 1200 mm
Thickness : 3-5 mm

- Color:**
- 01

02

03


04

05

06

07

08



RS85-01

Strata Stone



FLEXIBLE STONE

RS86-01

RS86

STRATA STONE



DETAIL ILLUSTRATION

Size:
Length : 3000 mm
Width : 1200 mm
Thickness : 2-3 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS86-01


RS86-P21

STRATA STONE



RS86-P28


STRATA STONE





RS87

LUNAR PEAK



DETAIL ILLUSTRATION

Size:
Length : 2300 mm
Width : 550 mm
Thickness: 2-3 mm

- Color:**
- 01
 - 02
 - 03
 - 04
 - 05
 - 06
 - 07
 - 08



RS87-06





Wind Carved Stone

FLEXIBLE STONE

RS88-01

RS88

WIND CARVED STONE



DETAIL ILLUSTRATION

Size:
Length : 3000 mm
Width : 1200 mm
Thickness: 2-3 mm

Color:


- 01
- 02
- 03
- 04
- 05
- 06
- 07
- 08



RS88-01


RS88-P27

WIND CARVED STONE



RS88-P28

WIND CARVED STONE





Cliffstone

FLEXIBLE STONE

RS89-01

RS89

CLIFFSTONE



DETAIL ILLUSTRATION

Size:
Length : 1180 mm
Width : 580 mm
Thickness : 2-3 mm

- Color:**
- 01

02

03

04

05

06



07

08



RS89-01









RS89-P22

CLIFFSTONE



Vintage Stone



FLEXIBLE STONE



RS90-03

RS90

VINTAGE STONE



DETAIL ILLUSTRATION

Size:
Length : 1200 mm
Width : 600 mm
Thickness : 2-3 mm

Color:

01

02

03

04

05

06

07

08



RS90-03



Wide Groove stone



FLEXIBLE STONE

RS91-01

RS91

WIDE GROOVE STONE



DETAIL ILLUSTRATION


Size:
Length : 1200/2400/3000 mm
Width : 600/1200/1200 mm
Thickness : 2-3 mm

Color:

							
01	02	03	04	05	06	07	08




RS91-01

A close-up photograph of a hand holding a wooden-handled paintbrush, applying a vibrant turquoise paint to a surface. The surface already has a mottled texture of turquoise and brown, suggesting a layered or distressed finish. The brush is in the middle of a stroke, with paint visible on its bristles. The background is blurred, focusing attention on the painting process.

HANDMADE

In HANDMADE, the face of that panel is built one piece at a time, layered, drawn and burnished by hand until each holds its own reading of light. Everything else carries over. Class A fire performance, resistant to water and damp, thin and pliant enough to wrap a curve or clad a column.

HANDMADE



C2MH-1107
VERDIGRIS Bronze

Size:

Length : 2400/3000 mm

Width : 1200 mm

Thickness : 2-3 mm

HANDMADE



C2MH-4324
BRUSHWORK Swirl

Size:
Length : 2400/3000 mm
Width : 1200 mm
Thickness : 2-3 mm

HANDMADE




C2MH-4109
IRON Grit

Size:

Length : 2400/3000 mm

Width : 1200 mm

Thickness : 2-3 mm



C2MH-1109
VERDIGRIS Turquoise




C2MH-3111
VERDIGRIS Aqua



C2MH-3112
VERDIGRIS Forest



C2MH-3115
VERDIGRIS Peacock



C2MH-5111
VERDIGRIS Amethyst



C2MH-3110
VERDIGRIS Mist



C2MH-1105
COPPER Ember




C2MH-2102
COPPER Cinnabar



C2MH-2106
COPPER Blush



C2MH-3101
COPPER Gold



C2MH-3104
COPPER Nude

Size:
Length : 2400/3000 mm
Width : 1200 mm
Thickness : 2-3 mm



C2MH-4208
COPPER Brass




C2MH-4315
COPPER Satin




C2MH-4333
COPPER Chestnut




C2MH-5114
COPPER Dusk




C2MH-3106
OXIDE Black-gold



C2MH-4204
OXIDE Brick



C2MH-4207
OXIDE Mustard




C2MH-4211
OXIDE Amber



C2MH-4213
OXIDE Red



C2MH-4218
OXIDE Olive



C2MH-4220
OXIDE Violet

Size:
Length : 2400/3000 mm
Width : 1200 mm
Thickness : 2-3 mm



C2MH-5109
OXIDE Patina



C2MH-1111
OXIDE Malachite



C2MH-1112
OXIDE Brass



C2MH-5101
AURORA Grey



C2MH-5102
AURORA Gold



C2MH-5103
AURORA Red




C2MH-5104
AURORA Purple




C2MH-5105
AURORA Emerald



C2MH-5106
AURORA Sapphire



C2MH-4319
BRUSHWORK Fling



C2MH-4320
BRUSHWORK Drag

Size:
Length : 2400/3000 mm
Width : 1200 mm
Thickness : 2-3 mm




C2MH-4321
BRUSHWORK Impasto



C2MH-4322
BRUSHWORK Blur



C2MH-7103
SANDSTONE Silver



C2MH-7105
SANDSTONE Iron



C2MH-7104
SANDSTONE Ash



C2MH-7112
SANDSTONE Steel




C2MH-7114
SANDSTONE Gold




C2MH-7115
SANDSTONE Copper



C2MH-7116
SANDSTONE Bronze




C2MH-7119
SANDSTONE Graphite



C2MH-4101
IRON Smooth

Size:
Length : 2400/3000 mm
Width : 1200 mm
Thickness : 2-3 mm



C2MH-4104
IRON Cloud



C2MH-4105
IRON Cement



C2MH-4110
IRON Streak




C2MH-4318
IRON Brushed



GLD-6101
Saw wood
(vintage silver)




GLD-6202
Saw wood
(vintage gold)



GLD-6103
Dacite
(vintage silver)




GLD-6104
Dacite
(vintage gold)



GLD-6201
Sintered Stone Board
(vintage silver)



GLD-6202
Sintered Stone Board
(vintage gold)



GLD-6203
Star-Moon Stone
(vintage silver)


Size:
Length : 2400/3000 mm
Width : 1200 mm
Thickness : 2-3 mm




C2MH-3112 - VERDIGRIS Forest

INSTALLATION

Before you start. Substrate must be sound, clean, dry and level. Make good any hollows and remove protrusions.
Work between 5°C and 35°C. Lay the panels out dry first and mix batches so that no two identical textures sit side by side.




1. Cut to the layout dimensions.



2. Apply the adhesive.
A. Full bed / tile adhesive.
B. Fast fix / structural adhesive.



3. Press onto the wall.



4. Pin to hold (timber or board substrates only).



5. Fill the joints.



6. Sand the joints smooth and wipe the wall clean.

Notes. Tile adhesive stays workable for two hours; never re-temper with water. Leave joints of at least 1.5 mm. Keep the finished wall free of load and water for 24 hours.

Certifications & Compliance

Global Quality Assurance

All products undergo rigorous testing to meet international standards, including:

- CE (European Union)
- FCC (United States)
- ISO 9001 (Quality Management)
- ASTM (Performance Standards)

Our commitment to compliance ensures safety, reliability, and performance for every application.



FLEX

FLEXIBLE STONE



Web: www.aterior.net


Email: info@fscolorize.com

Foshan Colorize Building Material Co., Ltd.


#505, 4th. Building, No.133 of Jihuaxi Road, Chanchen District, Foshan City, G.D., China.




Facebook



Instagram



Tiktok



YouTube



Pinterest